



Index of Authors

VOLUME 96, 1995 (Evoked Potentials)

(Authors from abstracts from Society Proceedings are not included)

- Achim, A.
Signal detection in averaged evoked potentials: Monte Carlo comparison of the sensitivity of different methods (96) 574
- Adams, L., see Buchner, H. (96) 121
- Alani, S., see Aziz, Q. (96) 219
- Altenmüller, E., Berger, W., Prokop, T., Trippel, M. and Dietz, V.
Modulation of sural nerve somatosensory evoked potentials during stance and different phases of the step-cycle (96) 516
- Ansseau, M., see Hansenne, M. (96) 194
- Arezzo, J.C., see Nicholson Peterson, N. (96) 248
- Aziz, Q., Furlong, P.L., Barlow, J., Hobson, A., Alani, S., Bancewicz, J., Ribbands, M., Harding, G.F.A. and Thompson, D.G.
Topographic mapping of cortical potentials evoked by distension of the human proximal and distal oesophagus (96) 219
- Bancewicz, J., see Aziz, Q. (96) 219
- Bandini, F., see Tartaglione, A. (96) 197
- Barlow, J., see Aziz, Q. (96) 219
- Barrett, G., see Xu, X. (96) 12
- Basile, L.F.H., see Tarkka, I.M. (96) 538
- Bassetti, M.A., see Rossini, P.M. (96) 236
- Battistini, N., see Paradiso, C. (96) 105
- Beisteiner, R., Höllinger, P., Lindinger, G., Lang, W. and Berthoz, A.
Mental representations of movements. Brain potentials associated with imagination of hand movements (96) 183
- Bergamaschi, R., see Romani, A. (96) 475
- Berger, W., see Altenmüller, E. (96) 516
- Berlad, I. and Pratt, H.
P300 in response to the subject's own name (96) 472
- Bernardi, G., see Tagliati, M. (96) 1
- Berthoz, A., see Beisteiner, R. (96) 183
- Bertrand, O., see Verkindt, C. (96) 143
- Bezerianos, A., Laskaris, N., Fotopoulos, S. and Papathanasopoulos, P.
Data dependent weighted averages for recording of evoked potential signals (96) 468
- Bleich, N., see Pratt, H. (96) 502
- Blumhardt, L.D., see Pelosi, L. (96) 44
- Bognar, L., see Fischer, C. (96) 261
- Bonato, C., see Zanette, G. (96) 114
- Bourriez, J.L., see Dujardin, K. (96) 169
- Brunia, C.H.M., see Van Hooff, J.C. (96) 433
- Brusa, A., Mortimer, C. and Jones, S.J.
Clinical evaluation of VEPs to interleaved checkerboard reversal stimulation of central, hemi- and peripheral fields (96) 485
- Buchner, H., Adams, L., Müller, A., Ludwig, I., Knepper, A., Thron, A., Niemann, K. and Scherg, M.
Somatotopy of human hand somatosensory cortex revealed by dipole source analysis of early somatosensory evoked potentials and 3D-NMR tomography (96) 121
- Burgess, R.C., see Ikeda, A. (96) 310
- Cabezas Cuevas, D., see Cioni, B. (96) 287
- Calabrese, G., see Romani, A. (96) 475
- Callieco, R., see Romani, A. (96) 475
- Cansino, S., see Robaey, P. (96) 56
- Carlson, L.G., see Nuwer, M.R. (96) 6
- Casaer, P., see Tsuneishi, S. (96) 291
- Chao, L.L., Nielsen-Bohlman, L. and Knight, R.T.
Auditory event-related potentials dissociate early and late memory processes (96) 157
- Cioni, B., Meglio, M., Visocchi, M., Pentimalli, L. and Cabezas Cuevas, D.
"Filtering effect" of cerebrospinal fluid on spinal somatosensory evoked potentials: case report (96) 287
- Cioni, R., see Paradiso, C. (96) 105
- Ciorciari, J., see Silberstein, R.B. (96) 24
- Cluitmans, P.J.M., see Van Hooff, J.C. (96) 433
- Conti, G., see Restuccia, D. (96) 371
- Cosi, V., see Romani, A. (96) 475
- Dawson, E.G., see Nuwer, M.R. (96) 6
- De Beer, N.A.M., see Van Hooff, J.C. (96) 433
- Delodovici, M.L. and Fowler, C.J.
Clinical value of the pudendal somatosensory evoked potential (96) 509
- De Navarro, J.M., see Manzano, G.M. (96) 229
- De Vito, L., see Paradiso, C. (96) 105
- Díaz, F. and Zurrón, M.
Auditory evoked potentials in Down's syndrome (96) 526
- Di Bon, G., see Sannita, W.G. (96) 206
- Dietz, V., see Altenmüller, E. (96) 516
- Di Lazzaro, V., see Restuccia, D. (96) 371
- Di Lazzaro, V., see Valeriani, M. (96) 479
- Dugas, M., see Robaey, P. (96) 56
- Dujardin, K., Bourriez, J.L. and Guieu, J.D.
Event-related desynchronization (ERD) patterns during memory processes: effects of aging and task difficulty (96) 169
- Echallier, J.-F., see Verkindt, C. (96) 143
- Elton, M., see Winter, O. (96) 398
- Falkenstein, M., Koshlykova, N.A., Kiroj, V.N., Hoormann, J. and Hohnsbein, J.
Late ERP components in visual and auditory Go/Nogo tasks (96) 36
- Favale, E., see Tartaglione, A. (96) 197
- Fell, J., see Röschke, J. (96) 390
- Fischer, C., Bognar, L., Turjman, F. and Lapras, C.
Auditory evoked potentials in a patient with a unilateral lesion of the inferior colliculus and medial geniculate body (96) 261
- Fock, J.M., see Tsuneishi, S. (96) 291

- Fotopoulos, S., see Bezerianos, A. (96) 468
 Fowler, C.J., see Delodovici, M.L. (96) 509
 Frank, C., see Röschke, J. (96) 390
 Frederiksen, J.L., see Johnsen, B. (96) 97
 Fujiwara, N., see Xu, X. (96) 12
 Furlong, P.L., see Aziz, Q. (96) 219
- Geva, A.B., Pratt, H. and Zeevi, Y.Y.
 Spatio-temporal multiple source localization by wavelet-type decomposition of evoked potentials (96) 278
 Giannini, F., see Paradiso, C. (96) 105
 Gonzalez Moreno, A., see Hansenne, M. (96) 194
 Grall, Y., see Rigaudière, F. (96) 495
 Grouls, R., see Van Hooff, J.C. (96) 433
 Guez, J.-E., see Rigaudière, F. (96) 495
 Guieu, J.D., see Dujardin, K. (96) 169
- Hansenne, M., Pitchot, W., Gonzalez Moreno, A., Papart, P., Timsit-Berthier, M. and Ansseau, M.
 Catecholaminergic function and P300 amplitude in major depressive disorder (P300 and catecholamines) (96) 194
 Harding, G.F.A., see Aziz, Q. (96) 219
 Hashimoto, I., Mashiko, T., Yoshikawa, K., Mizuta, T., Imada, T. and Hayashi, M.
 Neuromagnetic measurements of the human primary auditory response (96) 348
 Hayashi, M., see Hashimoto, I. (96) 348
 Hayward, M., see Pelosi, L. (96) 44
 Hirano, S., see Tsuneishi, S. (96) 291
 Hobson, A., see Aziz, Q. (96) 219
 Hohnsbein, J., see Falkenstein, M. (96) 36
 Höllinger, P., see Beisteiner, R. (96) 183
 Honda, M., see Xu, X. (96) 12
 Hoormann, J., see Falkenstein, M. (96) 36
 Hsieh, C.-L., Shima, F., Tobimatsu, S., Sun, S.-J. and Kato, M.
 The interaction of the somatosensory evoked potentials to simultaneous finger stimuli in the human central nervous system. A study using direct recordings (96) 135
 Huutilainen, M., see Lavikainen, J. (96) 93
- Ikeda, A., Lüders, H.O., Burgess, R.C., Sakamoto, A., Klem, G.H., Morris, III, H.H. and Shibasaki, H.
 Generator locations of movement-related potentials with tongue protrusions and vocalizations: subdural recording in human (96) 310
 Ikeda, A., Shibasaki, H., Nagamine, T., Xu, X., Terada, K., Mima, T., Kaji, R., Kawai, I., Tatsuoka, Y. and Kimura, J.
 Peri-rolandic and fronto-parietal components of scalp-recorded giant SEPs in cortical myoclonus (96) 300
 Ikeda, A., see Xu, X. (96) 12
 Ilmoniemi, R.J., see Lavikainen, J. (96) 93
 Imada, T., see Hashimoto, I. (96) 348
- Jodo, E., Takeuchi, S. and Kayama, Y.
 P3b-like potential of rats recorded in an active discrimination task (96) 555
 Johnsen, B., Frederiksen, J.L. and Larsson, H.B.W.
 Comparison of the pattern reversal visual evoked potential mediated by separate cone systems (96) 97
 Jones, S.J., see Brusa, A. (96) 485
 Juliano, Y., see Manzano, G.M. (96) 229
- Kaji, R., see Ikeda, A. (96) 300
 Kaji, R., see Xu, X. (96) 12
 Kanda, M., see Xu, X. (96) 12
 Kanim, L.E.A., see Nuwer, M.R. (96) 6
 Kato, M., see Hsieh, C.-L. (96) 135
 Kawai, I., see Ikeda, A. (96) 300
 Kayama, Y., see Jodo, E. (96) 555
 Kenemans, J.L., see Winter, O. (96) 398
 Kimura, J., see Ikeda, A. (96) 300
 Kimura, J., see Xu, X. (96) 12
 Kiroj, V.N., see Falkenstein, M. (96) 36
 Kleinert, R., see Litscher, G. (96) 413
 Klem, G.H., see Ikeda, A. (96) 310
 Knepper, A., see Buchner, H. (96) 121
 Knight, R.T., see Chao, L.L. (96) 157
 Kok, A., see Lorient, M.M. (96) 453
 Kok, A., see Winter, O. (96) 398
 Korsten, H.H.M., see Van Hooff, J.C. (96) 433
 Koshlykova, N.A., see Falkenstein, M. (96) 36
- Lang, W., see Beisteiner, R. (96) 183
 Lapras, C., see Fischer, C. (96) 261
 Larsson, H.B.W., see Johnsen, B. (96) 97
 Laskaris, N., see Bezerianos, A. (96) 468
 Lavikainen, J., Huutilainen, M., Ilmoniemi, R.J., Simola, J.T. and Näätänen, R.
 Pitch change of a continuous tone activates two distinct processes in human auditory cortex: a study with whole-head magnetometer (96) 93
 Le Gargasson, J.-F., see Rigaudière, F. (96) 495
 Lindinger, G., see Beisteiner, R. (96) 183
 Lins, O.G. and Picton, T.W.
 Auditory steady-state responses to multiple simultaneous stimuli (96) 420
 Litscher, G., Schwarz, G. and Kleinert, R.
 Brain-stem auditory evoked potential monitoring. Variations of stimulus artifact in brain death (96) 413
 Lopez, L., see Sannita, W.G. (96) 206
 Lorient, M.M., Snel, J., Mulder, G. and Kok, A.
 Aging, caffeine, and information processing: an event-related potential analysis (96) 453
 Lüders, H.O., see Ikeda, A. (96) 310
 Ludwig, I., see Buchner, H. (96) 121
- Maculotti, M., see Tartaglione, A. (96) 197
 Manderieux, N., see Rigaudière, F. (96) 495
 Manganotti, P., see Zanette, G. (96) 114
 Mann, K., see Röschke, J. (96) 390
 Manzano, G.M., De Navarro, J.M., Nóbrega, J.A.M., Novo, N.F. and Juliano, Y.
 Short latency median nerve somatosensory evoked potential (SEP): increase in stimulation frequency from 3 to 30 Hz (96) 229
 Marogna, M., see Tartaglione, A. (96) 197
 Martin, W.H., Pratt, H. and Schwegler, J.W.
 The origin of the human auditory brain-stem response wave II (96) 357
 Martin, W.H., see Pratt, H. (96) 502
 Mashiko, T., see Hashimoto, I. (96) 348
 Matsunaga, K., see Nakano, S. (96) 385
 Mauguière, F., see Restuccia, D. (96) 371
 Meglio, M., see Cioni, B. (96) 287
 Michalewski, H.J., see Starr, A. (96) 76
 Mima, T., see Ikeda, A. (96) 300
 Mizuta, T., see Hashimoto, I. (96) 348
 Morris, III, H.H., see Ikeda, A. (96) 310
 Mortimer, C., see Brusa, A. (96) 485
 Mulder, G., see Lorient, M.M. (96) 453
 Müller, A., see Buchner, H. (96) 121
 Murai, Y., see Nakano, S. (96) 385
- Näätänen, R., see Lavikainen, J. (96) 93
 Näätänen, R., see Pekkonen, E. (96) 546
 Nagamine, T., see Ikeda, A. (96) 300

- Nagamine, T., see Xu, X. (96) 12
- Nakano, S., Tsuji, S., Matsunaga, K. and Murai, Y.
Effect of sleep stage on somatosensory evoked potentials by median nerve stimulation (96) 385
- Nicholson Peterson, N., Schroeder, C.E. and Arezzo, J.C.
Neural generators of early cortical somatosensory evoked potentials in the awake monkey (96) 248
- Nielsen-Bohlman, L., see Chao, L.L. (96) 157
- Niemann, K., see Buchner, H. (96) 121
- Nóbrega, J.A.M., see Manzano, G.M. (96) 229
- Norcia, A.M., see Tang, Y. (96) 268
- Novo, N.F., see Manzano, G.M. (96) 229
- Nuwer, M.R., Dawson, E.G., Carlson, L.G., Kanim, L.E.A. and Sherman, J.E.
Somatosensory evoked potential spinal cord monitoring reduces neurologic deficits after scoliosis surgery: results of a large multicenter survey (96) 6
- Papanicolaou, A.C., see Tarkka, I.M. (96) 538
- Papart, P., see Hansenne, M. (96) 194
- Papathanasopoulos, P., see Bezerianos, A. (96) 468
- Pape, E.
Subject-based P1 latency inter-root comparison, a method to evaluate P1 latency in scalp recorded somatosensory evoked potentials obtained with sensory nerve stimulation in the lower extremities (96) 329
- Paradiso, C., De Vito, L., Rossi, S., Setacci, C., Battistini, N., Cioni, R., Passero, S., Giannini, F. and Rossini, P.M.
Cervical and scalp recorded short latency somatosensory evoked potentials in response to epidural spinal cord stimulation in patients with peripheral vascular disease (96) 105
- Pasqualetti, P., see Rossini, P.M. (96) 236
- Passero, S., see Paradiso, C. (96) 105
- Pekkonen, E., Rinne, T. and Näätänen, R.
Variability and replicability of the mismatch negativity (96) 546
- Pelosi, L., Hayward, M. and Blumhardt, L.D.
Is "memory-scanning" time in the Sternberg paradigm reflected in the latency of event-related potentials? (96) 44
- Pentimalli, L., see Cioni, B. (96) 287
- Pernier, J., see Verkindt, C. (96) 143
- Perrin, F., see Verkindt, C. (96) 143
- Picton, T.W., see Lins, O.G. (96) 420
- Pipingas, A., see Silberstein, R.B. (96) 24
- Piras, C., see Sannita, W.G. (96) 206
- Pitchot, W., see Hansenne, M. (96) 194
- Polo, A., see Zanette, G. (96) 114
- Pratt, H., Bleich, N. and Martin, W.H.
Short latency visual evoked potentials to flashes from light-emitting diodes (96) 502
- Pratt, H., see Berlad, I. (96) 472
- Pratt, H., see Geva, A.B. (96) 278
- Pratt, H., see Martin, W.H. (96) 357
- Prokop, T., see Altenmüller, E. (96) 516
- Renault, B., see Robaey, P. (96) 56
- Restuccia, D., Di Lazzaro, V., Valeriani, M., Conti, G., Tonali, P. and Mauguière, F.
Origin and distribution of P13 and P14 far-field potentials after median nerve stimulation. Scalp, nasopharyngeal and neck recording in healthy subjects and in patients with cervical and cervico-medullary lesions (96) 371
- Restuccia, D., see Valeriani, M. (96) 479
- Ribbands, M., see Aziz, Q. (96) 219
- Riemann, D., see Röschke, J. (96) 390
- Rigaudière, F., Manderieux, N., Le Gargasson, J.-F., Guez, J.-E. and Grall, Y.
Electrophysiological exploration of visual function in mitochondrial diseases (96) 495
- Rinne, T., see Pekkonen, E. (96) 546
- Robaey, P., Cansino, S., Dugas, M. and Renault, B.
A comparative study of ERP correlates of psychometric and Piagetian intelligence measures in normal and hyperactive children (96) 56
- Romani, A., Bergamaschi, R., Versino, M., Callieco, R., Calabrese, G. and Cosi, V.
Recovery functions of early cortical median nerve SSEP components: normative data (96) 475
- Röschke, J., Mann, K., Riemann, D., Frank, C. and Fell, J.
Sequential analysis of the brain's transfer properties during consecutive REM episodes (96) 390
- Rossi, S., see Paradiso, C. (96) 105
- Rossini, P.M., Bassetti, M.A. and Pasqualetti, P.
Median nerve somatosensory evoked potentials. Apomorphine-induced transient potentiation of frontal components in Parkinson's disease and in parkinsonism (96) 236
- Rossini, P.M., see Paradiso, C. (96) 105
- Sabbadini, M., see Tagliati, M. (96) 1
- Sakamoto, A., see Ikeda, A. (96) 310
- Sandroni, P., see Starr, A. (96) 76
- Sannita, W.G., Lopez, L., Piras, C. and Di Bon, G.
Scalp-recorded oscillatory potentials evoked by transient pattern-reversal visual stimulation in man (96) 206
- Scherg, M., see Buchner, H. (96) 121
- Schroeder, C.E., see Nicholson Peterson, N. (96) 248
- Schwarz, G., see Litscher, G. (96) 413
- Schwegler, J.W., see Martin, W.H. (96) 357
- Setacci, C., see Paradiso, C. (96) 105
- Sherman, J.E., see Nuwer, M.R. (96) 6
- Shibasaki, H., see Ikeda, A. (96) 300
- Shibasaki, H., see Ikeda, A. (96) 310
- Shibasaki, H., see Xu, X. (96) 12
- Shima, F., see Hsieh, C.-L. (96) 135
- Shindo, K., see Xu, X. (96) 12
- Silberstein, R.B., Ciorciari, J. and Pipingas, A.
Steady-state visually evoked potential topography during the Wisconsin card sorting test (96) 24
- Silvestrini, M., see Tagliati, M. (96) 1
- Simola, J.T., see Lavikainen, J. (96) 93
- Snel, J., see Lorist, M.M. (96) 453
- Spadavecchia, L., see Tartaglione, A. (96) 197
- Srebro, R.
The Duffing oscillator: a model for the dynamics of the neuronal groups comprising the transient evoked potential (96) 561
- Starr, A., Sandroni, P. and Michalewski, H.J.
Readiness to respond in a target detection task: pre- and post-stimulus event-related potentials in normal subjects (96) 76
- Stokić, D.S., see Tarkka, I.M. (96) 538
- Sun, S.-J., see Hsieh, C.-L. (96) 135
- Tachibana, N., see Xu, X. (96) 12
- Tagliati, M., Sabbadini, M., Bernardi, G. and Silvestrini, M.
Multichannel visual evoked potentials in migraine (96) 1
- Takeuchi, S., see Jodo, E. (96) 555
- Tang, Y. and Norcia, A.M.
An adaptive filter for steady-state evoked responses (96) 268
- Tarkka, I.M., Stokić, D.S., Basile, L.F.H. and Papanicolaou, A.C.
Electric source localization of the auditory P300 agrees with magnetic source localization (96) 538
- Tartaglione, A., Bandini, F., Maculotti, M., Marogna, M., Spadavecchia, L. and Favale, E.
Eye closure affects flash VEP latency in dementia (96) 197
- Tatsuoka, Y., see Ikeda, A. (96) 300
- Tavilla, G., see Van Hooff, J.C. (96) 433
- Terada, K., see Ikeda, A. (96) 300
- Thompson, D.G., see Aziz, Q. (96) 219

- Thron, A., see Buchner, H. (96) 121
Timsit-Berthier, M., see Hansenne, M. (96) 194
Tinazzi, M., see Zanette, G. (96) 114
Tobimatsu, S., see Hsieh, C.-L. (96) 135
Tonali, P., see Restuccia, D. (96) 371
Tonali, P., see Valeriani, M. (96) 479
Trippel, M., see Altenmüller, E. (96) 516
Tsuji, S., see Nakano, S. (96) 385
Tsuneishi, S., Casaer, P., Fock, J.M. and Hirano, S.
Establishment of normal values for flash visual evoked potentials (VEPs) in preterm infants: a longitudinal study with special reference to two components of the N1 wave (96) 291
Turjman, F., see Fischer, C. (96) 261

Valeriani, M., Restuccia, D., Di Lazzaro, V. and Tonali, P.
Recovery after surgery of the spinal N24 SEP in dural arteriovenous malformation of the dorsal cord (96) 479
Valeriani, M., see Restuccia, D. (96) 371
Van Hooff, J.C., De Beer, N.A.M., Brunia, C.H.M., Cluitmans, P.J.M., Korsten, H.H.M., Tavilla, G. and Grouls, R.
Information processing during cardiac surgery: an event related potential study (96) 433
Verkindt, C., Bertrand, O., Perrin, F., Echallier, J.-F. and Pernier, J.
Tonotopic organization of the human auditory cortex: N100 topography and multiple dipole model analysis (96) 143

Versino, M., see Romani, A. (96) 475
Visocchi, M., see Cioni, B. (96) 287

Waring, M.D.
Auditory brain-stem responses evoked by electrical stimulation of the cochlear nucleus in human subjects (96) 338
Winter, O., Kok, A., Kenemans, J.L. and Elton, M.
Auditory event-related potentials to deviant stimuli during drowsiness and stage 2 sleep (96) 398

Xu, X., Kanda, M., Shindo, K., Fujiwara, N., Nagamine, T., Ikeda, A., Honda, M., Tachibana, N., Barrett, G., Kaji, R., Kimura, J. and Shibasaki, H.
Pain-related somatosensory evoked potentials following CO₂ laser stimulation of foot in man (96) 12
Xu, X., see Ikeda, A. (96) 300

Yoshikawa, K., see Hashimoto, I. (96) 348

Zanette, G., Tinazzi, M., Manganotti, P., Bonato, C. and Polo, A.
Two distinct cervical N13 potentials are evoked by ulnar nerve stimulation (96) 114
Zeevi, Y.Y., see Geva, A.B. (96) 278
Zurron, M., see Díaz, F. (96) 526



Index of Subjects

VOLUME 96 (1995) (Evoked Potentials)

(Abstracts from Society Proceedings are not included)

Adaptative filter

- data-dependent weighted averages for recording EPs, 468
- for steady-state evoked responses, 268

Aging

- caffeine and information processing, 453
- event-related desynchronization during memory processes, 169

Alzheimer's disease, eye closure and VEP latency, 197

Amplitude-frequency characteristics

- brain's transfer properties during consecutive REM episodes, 390

Anesthesia

- information processing during cardiac surgery, 433

Apomorphine

- and median nerve SEPs in Parkinsonism, 236
- P300 in major depressive disorder, 194

Arteriovenous malformations

- spinal SEP recovery after surgery, 479

Artifact rejection

- data-dependent weighted averages for recording EPs, 468

Attention

- aging, caffeine, and information processing, 453

Audition, ERPs and memory processes, 157

Auditory brain-stem implant

- BAEPs to cochlear nucleus electrical stimulation, 338

Auditory cortex

- MEG response to pitch change of a continuous tone, 93
- neuromagnetic measurement of the primary auditory response, 348
- tonotopic organization, 143

Auditory evoked potentials

- after lesion of brain-stem auditory pathways, 261
- electric and magnetic source localization of auditory P300, 538
- in Down's syndrome, 526
- neuromagnetic measurement of the primary auditory response, 348
- steady-state response to multiple simultaneous stimuli, 420
- to deviant stimuli during drowsiness and sleep, 398
- tonotopic organization of the human auditory cortex, 143
- *see also* Brain-stem auditory evoked potentials

Auditory pathways

- AEPs after lesion of brain-stem auditory pathways, 261

Aura

- multichannel VEPs in migraine, 1

BAEPs, *see* Brain-stem auditory evoked potentials

Bereitschaftspotentials

- with tongue protrusions and vocalizations, 310

Book reviews, 483

Brain death

- and BAEP monitoring, 413

Brain potentials

- mental representations of hand movements, 183

Brain-stem auditory evoked potentials

- after lesion of brain-stem auditory pathways, 261
- and brain death, 413
- in Down's syndrome, 526
- origin of the auditory brain-stem response wave II, 357
- to cochlear nucleus electrical stimulation, 338

Brain-stem lesions

- AEPs after lesion of auditory pathways, 261

Caffeine, aging, and information processing, 453

Cardiac surgery and information processing, 433

Catecholamines and P300 in major depressive disorder, 194

Cerebrospinal fluid filtering effect on spinal SEPs, 287

Cervical lesions

- far-field potentials after median nerve stimulation, 371

Children

- intelligence measures in normal and hyperactive children, 56

Clinical evaluation

- of the pudendal SEP, 509
- of VEPs to interleaved checkerboard reversal stimulation, 485

Clonazepam

- P300 and catecholamines in major depressive disorder, 194

CO₂ laser stimulation

- pain-related SEPs, 12

Cochlear nucleus

- BAEPs to electrical stimulation, 338

Cognitive processes

- event-related desynchronization during memory processes, 169
- intelligence measures in normal and hyperactive children, 56

Color vision

- VEPs mediated by separate cone systems, 97

Coma

- BAEP monitoring and brain death, 413

Computed EEG topography, *see* Topographic mapping

Conduction

- short-latency median nerve SEPs, 229

Continuous tone

- MEG response to pitch change, 93

Contrast

- oscillatory potentials to pattern-reversal visual stimulation, 206

Cortex

- cortical potentials evoked by oesophageal distension, 219
- generators of early cortical SEPs in awake monkeys, 248
- sleep stage effects on median nerve SEPs, 385

Cross-modal divided attention paradigm

- late ERP components in Go/Nogo tasks, 36

Cuneate nucleus

- interaction of SEPs to simultaneous finger stimuli, 135

Current dipole or source, *see* Generators

- Dementia, eye closure and VEP latency, 197
- Depression, P300 and catecholamines, 194
- Detection of signal in averaged EPs, 574
- Detrusor hyperreflexia
- clinical evaluation of the pudendal SEP, 509
- Dichotic listening
- AEPs after lesion of brain-stem auditory pathways, 261
- Dipole source analysis
- of early hand SEPs, 121
 - tonotopic organization of the human auditory cortex, 143
- Discrimination task and rat P3-like potential, 555
- Dorsal column
- SEPs to spinal cord stimulation in vascular disease, 105
- Down's syndrome and AEPs, 526
- Drowsiness and ERPs to deviant stimuli, 398
- Duffing oscillator, 561
- Early components, *see* Short latency components
- Electrical stimulation of cochlear nucleus, 338
- Encephalopathy
- exploration of visual function in mitochondrial diseases, 495
- Epilepsy
- MRPs with tongue protrusions and vocalizations, 310
 - scalp-recorded giant SEPs in cortical myoclonus, 300
- ERG
- exploration of visual function in mitochondrial diseases, 495
- Event-related desynchronization during memory processes, 169
- Event-related potentials
- aging, caffeine, and information processing, 453
 - and memory processes, 157
 - electric and magnetic source localization of auditory P300, 538
 - information processing during cardiac surgery, 433
 - intelligence measures in normal and hyperactive children, 56
 - late ERP components in Go/Nogo tasks, 36
 - memory-scanning time in the Sternberg paradigm, 44
 - rat P3-like potential in active discrimination task, 555
 - readiness to respond in a target detection task, 76
 - to deviant stimuli during drowsiness and sleep, 398
 - to pitch change of a continuous tone, 93
 - variability and replicability of the mismatch negativity, 546
- Evoked potentials
- auditory, *see* Auditory evoked potentials
 - BAEPs, *see* Brain-stem auditory evoked potentials
 - brain's transfer properties during consecutive REM episodes, 390
 - data-dependent weighted averages for recording EPs, 468
 - generators of early cortical SEPs in awake monkeys, 248
 - multiple source localization by wavelet decomposition, 278
 - origin of the auditory brain-stem response wave II, 357
 - signal detection in averaged EPs, 574
 - somatosensory, *see* Somatosensory evoked potentials
 - the Duffing oscillator, 561
 - to deviant stimuli during drowsiness and sleep, 398
 - to oesophageal distension, 219
 - visual, *see* Visual evoked potentials
- Eye closure and VEP latency in dementia, 197
- Far-field potentials after median nerve stimulation in cervical lesions, 371
- Fast frequency
- short latency median nerve SEPs, 229
- Foot stimulation
- pain-related SEPs following CO₂ laser stimulation, 12
- Friedreich's ataxia
- exploration of visual function in mitochondrial diseases, 495
- Functional brain imaging
- the Duffing oscillator, 561
- Gait and sural nerve SEPs, 516
- Generators
- multiple source localization by wavelet decomposition of EPs, 278
 - neuromagnetic measurement of the primary auditory response, 348
 - of auditory P300, 538
 - of early cortical SEPs in awake monkeys, 248
 - of the auditory brain-stem response wave II, 357
 - scalp-recorded giant SEPs in cortical myoclonus, 300
 - tonotopic organization of the human auditory cortex, 143
- Giant SEPs in cortical myoclonus, 300
- Go/Nogo task and late ERP components, 36
- Hand
- dipole source analysis of early SEPs, 121
 - interaction of SEPs to simultaneous finger stimuli, 135
 - mental representations of movements, 183
- Heart surgery, *see* Cardiac surgery
- Hemianopsia
- multichannel VEPs in migraine, 1
- Hemifield stimulation
- clinical evaluation of VEPs to interleaved checkerboard reversal stimulation, 485
- Hyperactivity
- intelligence measures in normal and hyperactive children, 56
- Imagined movement of hand, mental representations, 183
- Impotence
- clinical evaluation of the pudendal SEP, 509
- Inferior colliculus
- AEPs after lesion of brain-stem auditory pathways, 261
 - neuromagnetic measurement of the primary auditory response, 348
- Information processing
- aging, and caffeine, 453
 - during cardiac surgery, 433
- Intelligence measure in normal and hyperactive children, 56
- Inter-root comparison
- subject-based P1 latency, 329
 - variability and replicability of the mismatch negativity, 546
- Intracranial stimulation
- rat P3-like potential in active discrimination task, 555
- Intraoperative monitoring
- information processing during cardiac surgery, 433
 - origin of the auditory brain-stem response wave II, 357
- Latency measurements
- VEPs mediated by separate cone systems, 97
- Late ERP components in Go/Nogo tasks, 36
- Light
- VEPs to flashes from light-emitting diodes, 502
- Linear system theory
- brain's transfer properties during consecutive REM episodes, 390
- Locomotion and sural nerve SEPs, 516
- Longitudinal follow-up of flash VEPs in preterm infants, 291
- Lower limb
- cervical N13 potentials to ulnar nerve stimulation, 114
 - spinal SEP recovery after surgery in arteriovenous malformations, 479
- Magnetic field
- measurement of the primary auditory response, 348
 - to pitch change of a continuous tone, 93
- Magnetic resonance imaging
- dipole source analysis of early hand SEPs, 121
- Magnetoencephalogram
- source localization of auditory P300, 538
- Major depressive disorder, P300 and catecholamines, 194
- Mapping, *see* Topographic mapping
- Maturation
- normative values of flash VEPs in preterm infants, 291

- Medial geniculate body
 - AEPs after lesion of brain-stem auditory pathways, 261
- Median nerve
 - apomorphine and SEPs in parkinsonism, 236
 - cervical N13 potentials, 114
 - far-field potentials in cervical lesions, 371
 - short-latency SEPs, 229
 - sleep stage effects on SEPs, 385
- Memory
 - aging, caffeine, and information processing, 453
 - auditory ERPs and memory processes, 157
 - event-related desynchronization during memory processes, 169
 - information processing during cardiac surgery, 433
 - memory-scanning time in the Sternberg paradigm, 44
- Mental representations of hand movements, 183
- Midlatency AEPs
 - after lesion of brain-stem auditory pathways, 261
 - in Down's syndrome, 526
- Migraine and multichannel VEPs, 1
- Mismatch negativity
 - ERPs to deviant stimuli during drowsiness and sleep, 398
 - MEG response to pitch change of a continuous tone, 93
 - variability and replicability, 546
- Mitochondrial diseases and exploration of visual function, 495
- Modelization
 - tonotopic organization of the human auditory cortex, 143
- Monitoring
 - BAEPs and brain death, 413
 - filtering effect of cerebrospinal fluid on spinal SEPs, 287
 - spinal cord SEPs after scoliosis surgery, 6
- Monkey
 - generators of early cortical SEPs in awake monkeys, 248
- Monte Carlo simulation technique
 - signal detection in averaged EPs, 574
- Motor cortex
 - interaction of SEPs to simultaneous finger stimuli, 135
- Movement-related potentials
 - mental representations of hand movements, 183
 - movement-related potentials with tongue protrusions and vocalizations, 310
- Multichannel VEPs in migraine, 1
- Multi-infarct dementia, eye closure and VEP latency, 197
- Multiple sclerosis
 - clinical evaluation of VEPs to interleaved checkerboard reversal stimulation, 485
- Multiple simultaneous stimuli, steady-state response, 420
- Myelination
 - normative values of flash VEPs in preterm infants, 291
- Myoclonus
 - scalp-recorded giant SEPs in cortical myoclonus, 300
- Myopathy
 - exploration of visual function in mitochondrial diseases, 495
- Neurological deficit
 - spinal cord SEP monitoring after scoliosis surgery, 6
- Non-linear dynamics
 - the Duffing oscillator, 561
- Normative values
 - of flash VEPs in preterm infants, 291
 - recovery functions of early cortical median nerve SEP, 475
- N1 wave
 - MEG response to pitch change of a continuous tone, 93
 - normative values of flash VEPs in preterm infants, 291
 - variability and replicability of the mismatch negativity, 546
- N2, late ERP components in Go/Nogo tasks, 36
- N4, auditory ERPs and memory processes, 157
- N13 to ulnar nerve stimulation, 114
- N19, neuromagnetic measurement of the primary auditory response, 348
- N100, tonotopic organization of the human auditory cortex, 143
- Oesophageal distension and cortical potentials, 219
- Optic neuritis
 - clinical evaluation of VEPs to interleaved checkerboard reversal stimulation, 485
- Oscillatory potentials to pattern-reversal visual stimulation, 206
- Outcome after scoliosis surgery, 6
- Pain
 - pain-related SEPs following CO₂ laser stimulation, 12
 - SEPs to spinal cord stimulation in vascular disease, 105
- Parkinsonism, apomorphine and median nerve SEPs, 236
- Pattern-reversal stimulation
 - oscillatory potentials, 206
 - VEPs mediated by separate cone systems, 97
- Pattern visual evoked potentials, *see* Visual evoked potentials
- Pitch changes of a continuous tone, MEG response, 93
- Preparation to movement in a target detection task, 76
- Preterm infants, normative values of flash VEPs, 291
- Principal component analysis
 - signal detection in averaged EPs, 574
- Progressive myoclonic epilepsy
 - scalp-recorded giant SEPs, 300
- Pudendal SEP, clinical evaluation, 509
- P1, subject-based P1 latency inter-root comparison, 329
- P3
 - auditory ERPs and memory processes, 157
 - far-field potentials after median nerve stimulation in cervical lesions, 371
 - rat P3-like potential in active discrimination task, 555
- P13-14 to ulnar nerve stimulation, 114
- P30, neuromagnetic measurement of the primary auditory response, 348
- P300
 - and catecholamines in major depressive disorder, 194
 - electric and magnetic source localization, 538
 - in Go/Nogo tasks, 36
 - in response to the subject's own name, 472
 - memory-scanning time in the Sternberg paradigm, 44
 - readiness to respond in a target detection task, 76
- Rapid eye movement sleep, *see* Sleep
- Rat P3-like potential in active discrimination task, 555
- Reaction time
 - memory-scanning time in the Sternberg paradigm, 44
 - readiness to respond in a target detection task, 76
- Readiness potential in a target detection task, 76
- Recognition
 - auditory ERPs and memory processes, 157
 - event-related desynchronization during memory processes, 169
- Recovery functions
 - after surgery in arteriovenous malformations, 479
 - of early cortical median nerve SEP, 475
- Reference limits
 - subject-based P1 latency inter-root comparison, 329
- REM sleep
 - brain's transfer properties during consecutive REM episodes, 390
- Reticular system
 - eye closure and VEP latency in dementia, 197
- Retina
 - VEPs mediated by separate cone systems, 97
- Scalp distribution
 - pain-related SEPs following CO₂ laser stimulation, 12
- Scoliosis
 - spinal cord SEP monitoring after scoliosis surgery, 6

- Selective attention, *see* Attention
- Sensorimotor cortex
 - mental representations of hand movements, 183
- Sensory cortex
 - interaction of SEPs to simultaneous finger stimuli, 135
- Sensory gating
 - sural nerve SEPs during stance and step-cycle, 516
- Sensory nerve
 - subject-based P1 latency inter-root comparison, 329
- Short latency components
 - AEPs in Down's syndrome, 526
 - dipole source analysis of early hand SEPs, 121
 - generators of cortical SEPs in awake monkeys, 248
 - median nerve SEPs, 229
 - SEPs to spinal cord stimulation in vascular disease, 105
 - sleep stage effects on median nerve SEPs, 385
 - VEPs to flashes from light-emitting diodes, 502
- Signal detection in averaged EPs, 574
- Sleep
 - brain's transfer properties during consecutive REM episodes, 390
 - ERPs to deviant stimuli, 398
 - stage effects on median nerve SEPs, 385
- Smooth muscle
 - cortical potentials evoked by oesophageal distension, 219
- Somatosensory evoked potentials
 - apomorphine and median nerve SEPs in parkinsonism, 236
 - clinical evaluation of the pudendal SEP, 509
 - dipole source analysis of early hand SEPs, 121
 - far-field potentials after median nerve stimulation in cervical lesions, 371
 - filtering effect of cerebrospinal fluid on spinal SEPs, 287
 - generators of early cortical SEPs in awake monkeys, 248
 - interaction of SEPs to simultaneous finger stimuli, 135
 - pain-related SEPs following CO₂ laser stimulation, 12
 - recovery functions of early cortical median nerve SEP, 475
 - scalp-recorded giant SEPs in cortical myoclonus, 300
 - short latency median nerve SEPs, 229
 - sleep stage effects on median nerve SEPs, 385
 - spinal cord SEP monitoring after scoliosis surgery, 6
 - spinal SEP recovery after surgery in arteriovenous malformations, 479
 - subject-based P1 latency inter-root comparison, 329
 - sural nerve SEPs during stance and step-cycle, 516
 - to spinal cord stimulation in vascular disease, 105
 - to ulnar nerve stimulation, 114
- Somatotopy of early hand SEPs, 121
- Source localization
 - by wavelet decomposition of EPs, 278
 - electric and magnetic source localization of auditory P300, 538
- Spatial distribution, *see* Topographic mapping
- Spatial frequency
 - oscillatory potentials to pattern-reversal visual stimulation, 206
- Speech
 - movement-related potentials with tongue protrusions and vocalizations, 310
 - P300 in response to the subject's own name, 472
- Spinal cord
 - far-field potentials after median nerve stimulation in cervical lesions, 371
 - filtering effect of cerebrospinal fluid on spinal SEPs, 287
 - SEP monitoring after scoliosis surgery, 6
 - SEP recovery after surgery in arteriovenous malformations, 479
 - SEPs to spinal cord stimulation in vascular disease, 105
- Stance and sural nerve SEPs, 516
- Stationary wave
 - origin of the auditory brain-stem response wave II, 357
- Statistical analysis
 - signal detection in averaged EPs, 574
- Steady-state response
 - adaptative filter, 268
 - to multiple simultaneous stimuli, 420
 - VEP topography during Wisconsin card sorting test, 24
- Sternberg paradigm and memory-scanning time, 44
- Stimulation frequency
 - short latency median nerve SEPs, 229
- Stimulus artifact
 - BAEP monitoring and brain death, 413
- Stimulus relevance
 - P300 in response to the subject's own name, 472
- Striated muscle
 - cortical potentials evoked by oesophageal distension, 219
- Subcortical components
 - sleep stage effects on median nerve SEPs, 385
- Subdural recording
 - movement-related potentials with tongue protrusions and vocalizations, 310
- Subject-based criteria
 - P1 latency inter-root comparison, 329
- Sural nerve SEPs during stance and step-cycle, 516
- Target detection
 - aging, caffeine, and information processing, 453
 - readiness to respond in a target detection task, 76
- Thalamus
 - interaction of SEPs to simultaneous finger stimuli, 135
- Tibial nerve
 - clinical evaluation of the pudendal SEP, 509
- Time-varying dipole model
 - tonotopic organization of the human auditory cortex, 143
- Tongue
 - movement-related potentials with tongue protrusions and vocalizations, 310
- Tonotopic organization of the human auditory cortex, 143
- Topographic mapping
 - dipole source analysis of early hand SEPs, 121
 - event-related desynchronization during memory processes, 169
 - eye closure and VEP latency in dementia, 197
 - scalp-recorded giant SEPs in cortical myoclonus, 300
 - SEPs to spinal cord stimulation in vascular disease, 105
 - tonotopic organization of the human auditory cortex, 143
 - VEP topography during Wisconsin card sorting test, 24
- Ulnar nerve
 - cervical N13 potentials to ulnar nerve stimulation, 114
- Urinary bladder
 - clinical evaluation of the pudendal SEP, 509
- Vascular disease
 - SEPs to spinal cord stimulation, 105
- Visual aura
 - multichannel VEPs in migraine, 1
- Visual evoked potentials
 - adaptative filter for steady-state evoked responses, 268
 - clinical evaluation of VEPs to interleaved checkerboard reversal stimulation, 485
 - exploration of visual function in mitochondrial diseases, 495
 - eye closure and VEP latency in dementia, 197
 - multichannel VEPs in migraine, 1
 - normative values of flash VEPs in preterm infants, 291
 - oscillatory potentials to pattern-reversal visual stimulation, 206
 - to flashes from light-emitting diodes, 502

- VEPs mediated by separate cone systems, 97
- VEP topography during Wisconsin card sorting test, 24
- Visual stimulation with flashes from light-emitting diodes, 502
- Vocalizations
 - movement-related potentials with tongue protrusions, 310

Wavelet

- multiple source localization by wavelet decomposition of EPs, 278
- Wisconsin card sort test and VEP topography, 24